



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

90780-9

Date of Issuance:

7/16/15

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

TC RAT KILLER 122

Name and Address of Registrant (include ZIP Code):

The Scotts Company
d/b/a Tomcat Brands
P.O. Box 190
Marysville, OH 43040

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
2. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 90780-9."

Signature of Approving Official:

Venus Eagle, Product Manager 01
Invertebrate-Vertebrate Branch 3, Registration Division (7505P)

Date:

7/16/15

3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Should you wish to retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 06/17/2015
- Alternate CSF A dated 06/17/2015

If you have any questions, please contact Dr. William W. Jacobs by phone at 703-305-6406, or via email at jacobs.bill@epa.gov.


Enclosure

OUTER PACKAGE - COMPLETE LABEL

TC RAT KILLER 122

ABNs:

TOMCAT® Rat Killer_a
TOMCAT® Rat Killer [with] Child & Dog Resistant[,] Disposable Station
TOMCAT® Rat & Mouse Killer
TOMCAT® Rat & Mouse Killer [with] Kid & Dog Resistant[,] Disposable Station



**This Bait Station is Resistant to Weather and to Tampering by
Children and Dogs. For Use Indoors and Outdoors.**

ACTIVE INGREDIENT:

Bromethalin (CAS #63333-35-7): 0.01 %

OTHER INGREDIENTS*:..... 99.99%
100.00%

*Contains Denatonium Benzoate

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See [back] [bottom] [and] [side] [panel/panels] for First Aid, additional precautionary statements, and Directions for Use.

NET WT:

4 oz. to 16 oz.
4 oz. x 1 Bait Station (113g) 4 oz. x 4 Bait Stations (454g)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Bait contents harmful if swallowed. Keep away from children, domestic animals and pets. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

USER SAFETY REQUIREMENTS: As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet.

FIRST AID

HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE

IF SWALLOWED:

- Call a poison control center, doctor, or 1-877-332-0755 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

IF ON SKIN:

- Wash with plenty of soap and water.

TREATMENT FOR PET POISONING

If an animal eats this bait, call a veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the nerve poison bromethalin. This product is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish, birds and other wildlife. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply this product directly to water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests and application methods described on this label.

USE RESTRICTIONS:

This bait station may be used in areas accessible to children and pets, consistent with all use restrictions and other requirements indicated on this label. Do not apply further than 50 feet from home or building.

For control only of rats and house mice. [TC RAT KILLER 122] [This product/This bait station] must be used in and around buildings consistent with all use restrictions and other requirements indicated on this label. Do not place this bait station in any area where there is a possibility of contaminating food or surfaces that come into direct contact with food.

[Note to PM: "SELECTION OF TREATMENT AREAS", "APPLICATION DIRECTION", "LOADING INTO BAIT STATION" sections of label will be treated in one of the fashions shown below.

[Option 1]

SELECTION OF TREATMENT AREAS [Indoors & Outdoors]: Determine areas where rats and/or house mice will most likely find and consume the bait. Generally, these areas are beside burrows, along walls, by gnawed openings, in corners and concealed places.





APPLICATION DIRECTIONS:

Place the [TC RAT KILLER 122] bait station [horizontally or vertically] at point of highest activity beside burrows, along a wall or in corners where signs of rats or house mice have been seen. [Stations can be used horizontally or vertically.] If additional units are purchased, place bait stations at 15- to 30- foot intervals. Maintain a constant supply of fresh bait for 10 days or until there no longer are fresh signs of rat or house mouse activity in infested areas. Replace bait stations if bait is consumed or contaminated. View bait via see-through lid and replace station if bait has been consumed or contaminated and rats and/or house mice still are using the bait station. [Note: Rats and/or house mice may eat a small amount of bait and leave the station. You likely will not find a dead rat and/or house mouse in the station.] / [Note: Rats and/or house mice may eat a small amount of bait and leave the bait station. Rats and/or house mice will cease feeding after consuming a toxic dose. You likely will not find a dead rat and/or mouse in the station.] / [Rats and/or house mice cease feeding after consuming a toxic dose. As a result, there might not be much bait missing from the bait station for several days after first placement; and there may be periods of 2 or 3 days with little feeding on bait followed by increased use of the bait station.]

Follow-up: Wearing gloves, collect and properly dispose of emptied bait stations or carcasses. [Carcasses should be placed in an outdoor garbage can.] To discourage reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

[Option 2]

APPLICATION DIRECTIONS

| <p>1. Selection of Treatment Areas [Indoors & Outdoors]</p>  | <p>2. Placing Bait Stations</p>  | <p>3. Monitor</p>  | <p>4. Follow Up</p>  |
|---|---|---|---|
| <p>Determine areas where rats and/or house mice will most likely consume the bait. Generally, these areas are beside burrows, along walls, by gnawed openings, in corners and concealed places.</p> | <p>Place the bait station [horizontally or vertically] at the point of highest activity beside burrows, along a wall or in corners where signs of rats or house mice have been seen. If additional units are to be used, place bait stations at 15- to 30-foot intervals.</p> <p>[Stations can be used horizontally or vertically.]</p> | <p>Maintain a constant supply of fresh bait for at least 10 days or until there no longer are signs of rat and/or house mouse activity in infested areas. View bait via see-through lid and replace station if bait has been consumed or contaminated and rats and/or house mice still are using the bait station.</p> <p>[Note: Rats and/or house mice may eat a small amount of bait and leave the bait station. You likely will not find a dead rat and/or house mouse in the station.] / [Note: Rats and/or house mice may eat a small amount of bait and leave the bait station. Rats and/or house mice will cease feeding after consuming a toxic dose. You likely will not find a dead rat and/or mouse in the station.] / [Rats and/or house mice cease feeding after consuming a toxic dose. As a result, there might not be much bait missing from the bait station for several days after first placement; and there may be periods of 2 or 3 days with little feeding on bait followed by increased use of the bait station.]</p> | <p>Wearing gloves, collect and properly dispose of any emptied bait stations and/or carcasses. [Carcasses should be placed in an outdoor garbage can.] To discourage reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.</p> |

STORAGE AND DISPOSAL

Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal and Container Handling: Nonrefillable Container. Do not reuse or refill this container except as described in the Directions For Use.

If Empty: Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Notice: To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

+Tomcat [Brands] [or insert sub-registrant company name] **Guarantee [Satisfaction Guaranteed or Your Money Back]** If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

[phone icon] Questions or Comments?

¿Preguntas o Comentarios?

[1-877-332-0755] [www.tomcat.com] [computer icon]

Available Exclusively From / Distributed by/Sold by/Manufactured For:

Tomcat Brands

PO Box 190

Marysville, OH 43040

[www.tomcat.com]

EPA REG. NO. 90780-XXXX

EPA EST. NO. 12455-WI-1, XXXX

[superscript is first letter of lot number]

© 20XX, [Licensed by] Tomcat [Brands]. World rights reserved

BAIT STATION LABEL

TC RAT KILLER 122

**This Bait Station is Resistant to Weather and to Tampering by
Children and Dogs. For Use Indoors and Outdoors.**

ACTIVE INGREDIENT:

Bromethalin (CAS #63333-35-7): 0.01 %

OTHER INGREDIENTS*:..... 99.99%
100.00%

*Contains Denatonium Benzoate

EPA REG. NO. 90780-NEW

EPA EST. NO. 12455-WI-1

[Superscript is first letter of lot number]

Net Wt.: 1 x 4 oz. (113g) block bait

DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH THE BAIT STATION

CAUTION : See outer packaging for DIRECTIONS FOR USE, FIRST AID and additional PRECAUTIONARY STATEMENTS.

If swallowed, call a poison control center, doctor, or 1-877-332-0755

[Batch code]

[Model number: RD1]

OPTIONAL MARKETING STATEMENTS:

1. Rats and/or house mice usually consume a lethal dose in a single night's feeding but it may take two or more days from the time of consumption for these rodents to die.
2. Kills rats and house mice
3. Rats [and/or house mice] cease feeding after consuming a toxic dose
4. Bait station
5. Rat and house mouse bait station
6. Pre-filled
7. Pre-baited
8. Disposable
9. Pre-baited/prefilled
10. See-thru lid
11. See-thru lid for easy monitoring
12. With bromethalin
13. Contains one bait station prefilled with 4 oz. bait block.
14. Rat and house mouse killer
15. Use for both house mouse and rat problems/issues/infestations
16. Contains 4 oz block bait
17. Pre-filled (pre-baited), ready to use bait station

OPTIONAL MARKETING STATEMENTS (CONT'D):

18. Feeding station
19. Mouse/Rat feeding station
20. Made in USA
21. Disposable rat & house mouse bait station
22. 4 oz. of bait pre-loaded into station
23. 4 oz. of bait pre-loaded into bait station
24. Norway and Roof Rat Killer
25. Kills House Mice too!
26. House Mouse killer
27. And House Mouse killer
28. xx disposable rat and house mouse bait station(s)
29. Station keeps bait away from children, pets & non-target animals
30. Ready to use
31. Child resistant [bait] station
32. Dog resistant [bait] station
33. Child and dog resistant [bait] station
34. Station is child and dog resistant [bait] station
35. Child, dog and weather resistant [bait] station
36. Weather resistant [bait] station
37. Can be used indoors and out
38. Use indoors and out
39. For use indoors and out
40. Indoor and outdoor
41. Durable [bait] station design is child and dog resistant
42. Station is child and dog resistant
43. Kid Tested [bait] station
44. Dog Tested [bait] station
45. Kid and Dog Resistant [Bait] Station
46. Kid and Dog Tested [Bait] Station
47. Kid and Dog Tested [Bait] Station
48. Kid and Dog Resistant [Bait] Station
49. Kid & Dog Tamper-Resistant [Bait] Station
50. Can be used horizontally or vertically
51. Clear lid
52. No need to touch the bait when placing station
53. Clear lid for easy bait monitoring
54. See-thru lid for easy bait monitoring
55. x Pre-Filled, Disposable Bait Station(s) with a 4 oz block
56. 4 oz Block Kills up to 10 Rats* *based on no-choice laboratory testing
57. Each 4 oz Block Kills up to 10 Rats *based on no-choice laboratory testing
58. Each station contains enough bait to kill up to 10 rats *based on no-choice laboratory testing
59. [Includes] Enough bait to kill up to 10 rats* *based on no-choice laboratory testing
60. This package contains enough bait to kill up to 10 rats* *based on no-choice laboratory testing
61. Bait station made from 71% recycled resin/content.

OPTIONAL MARKETING STATEMENTS (CONT'D):

- 62. Rats and house mice usually consume a lethal dose in a single night's feeding, but it may take two or more days from the time of consumption for them to die.
- 63. Kills rats and house mice [,] guaranteed[.]+
- 64. Results Guaranteed+
- 65. Kills up to 10 rats per bait block* *based on no-choice laboratory testing
- 66. Rats and house mice may enter, feed on the bait, and then leave the bait station.
- 67. This bait station is not a trap

Note to EPA: Depending on the number of blocks in a package, we are requesting to use the following statements.

[Includes] [This package includes/contains] Enough bait to kill up to 10 (20) (30) (40) rats* *

based on no-choice laboratory testing

OPTIONAL GRAPHICS:









OPTIONAL GRAPHICS CONT'D.):




OPTIONAL GRAPHICS CONT'D.):




| | | |
|---|---|---|
| <p>CAN BE USED IN A VARIETY OF LOCATIONS</p> | <p>BEHIND APPLIANCES</p>  | <p>IN ATTICS</p>  |
| <p>INSIDE CABINETS</p>  | <p>GARAGES</p>  | <p>BASEMENTS</p>  |
| <p>HOME EXTERIOR</p>  | | |

All use must be consistent with the **USE RESTRICTIONS** in the **DIRECTIONS FOR USE** section of this label


For use as optional graphics for T1 Disposable Mouse




Select Treatment Area
(Indoors and Outdoors)



Place



Monitor



Dispose